TubeTrace® Type SP/MP

"Heavy" Steam Traced Instrument Tubing

Product Specifications

Application . . .

Freeze Protection or Process Temperature Maintenance Tube Temperature Range: 5°C to 205°C.

TubeTrace Type SP and MP with "heavy" steam trace is designed to provide freeze protection or temperature maintenance for metallic and nonmetallic tubing. TubeTrace Type SP and MP heavy steam trace is suitable for use with process analyzers, emissions analyzers, and impulse lines to pressure transmitters where steam or hot liquid is the preferred heat-

TubeTrace Type SP and MP "heavy" steam trace is a metallic tracer tube in direct contact with the process tube. "Heavy" steam trace provides predictable heat output along the traced tube. The tracer tube and process tubes are cabled together thereby mechanically binding the tubes. This ensures consistent heat transfer and performance along the entire length by preventing separation or tube migration within the bundle.

Unlike field fabricated and insulated tubing, TubeTrace pre-engineered factory insulated tubing provides superior weather proofing and long term reliability.

Ratings/Specifications . . .

SP and MP "Heavy" Trace	Ratings
Available Tracer Tube Diameters	1/4", 3/8", 1/2", 6, 10, and 12 mm
Available Tracer Tube Materials	Copper and Stainless Steel
Typical Process Tube Temperature	5°C to 205°C
Maximum Steam Temperature	205°C/1690 kPa
Typical Temperature Difference Tracer Tube vs. Process Tube	Less Than 14°C ⁵




- Construction . . .
- 1 Process Tubes
- 2 Tracer Tube
- 3 Non-hygroscopic Glass Fiber Insulation
- 4 Heat Reflective Tape
- 5 Polymer Outer Jacket

Product Features...

- Consistent Heat Transfer and Thermal Performance
- Superior Weather Proofing
- Long Coils Minimize Waste

How to Specify . . .



2 = 1/4"

3 = 3/8"

4 = 1/2"

 $6 = 6 \, \text{mm}$

10 = 10 mm

12 = 12 mm



THERMON . . . The Heat Tracing Specialists® www.thermon.com

X = Special

European Headquarters Boezemweg 25 PO Box 205 2640 AE Pijnacker • The Netherlands Phone: +31 (0) 15-36 15 370

Corporate Headquarters 100 Thermon Dr. PO Box 609 San Marcos, TX 78667-0609 USA Phone: +1 512-396-5801

For the Thermon office nearest you visit us at . . . www.thermon.com



special request. Tubing meets the ASTM standards, tubing that meets DIN

5. Please contact factory for performance data when using for critical temperature

standards is available on special request.

2. Teflon is a trademark of E.I. du Pont de Nemours & Co., Inc.

4. Black ATP is standard, other jacket materials are available

3. Monel and Inconel are trademarks of Inco Alloys International, Inc.