



Thermon Product Lifecycle Announcement:

EOL and EOS for HTC T-75, HTC T-3 Old Formula, and Availability of HTC T-3 New Formula

Thermon announces the end-of-life (EOL) and end-of-sale (EOS) for T-75 and the old formula of T-3 heat transfer compounds (HTCs) and the availability of a new and improved formula of T-3. Milestone dates are indicated below in Table 1. Refer to Table 2 for a cross-reference between obsolete and replacement item numbers.

Table 1: Milestone Definitions and Dates

Milestone	Definition	Date
New Product Press Release	The date that a new product is publicly announced.	March 18, 2020
End-of-Life (EOL) Announcement	The date that the obsolete product's end-of-life is publicly announced.	July 17, 2020
End-of-Sale (EOS)	The last date to order the obsolete product from Thermon. The product is no longer available for sale from Thermon after this date.	October 29, 2020
New Product First Purchase	The first date that the new replacement product can be purchased from Thermon.	October 30, 2020
Last Shipment	The latest shipment date that can be requested from Thermon for the obsolete product. The actual shipment date is dependent upon specific product lead time.	December 18, 2020

Table 2: Item Number Cross-Reference

Existing Customer Order Number	Obsolete Thermon Item Number	Replacement Customer Order Number	Replacement Thermon Item Number	Replacement Product Description
HTC T-3-1	16080	HTC T-3-1	16451	Heat Transfer Compound for temperatures up to 850 °F (454 °C), 1 gallon (3.8 L)
HTC T-3-2	16081	N/A	N/A	N/A. Only available in 1 and 5 gallon sizes.
HTC T-3-5	16082	HTC T-3-5	16455	Heat Transfer Compound for temperatures up to 850 °F (454 °C), 5 gallon (3.8 L)
HTC T-75-1	16060	HTC T-3-1	16451	Heat Transfer Compound for temperatures up to 850 °F (454 °C), 1 gallon (18.9 L)
HTC T-75-2	16061	N/A	N/A	N/A. Only available in 1 and 5 gallon sizes.

Product Transition Information

The new and improved T-3 formula is a direct replacement for the old formula and T-75. Improvements include:

- Increased Maximum Exposure Temperature of 454 °C (850 °F) compared to 371 °C (700 °F) for Old T-3 Formula and 427 °C (800 °F) for T-75
- Qualified with ASTM standards for bond strength and water-soluble chlorides

T-3 Press Release: <https://www.thermon.com/us/thermon-introduces-new-formulations-for-our-heat-transfer-compounds>

T-3 Webpage: <https://www.thermon.com/us/products/steam-heating/heat-transfer-compounds/t-3->

T-3 Specification Sheet: https://content.thermon.com/pdf/us_pdf_files/TSP0015-T-3-Spec.pdf