



Custom CEMS and Analyzer Bundles

TubeTrace® Heated Instrument Tubing and Non-Heated Tubing Bundles

Your CEMS and Analyzer sample lines will be cost-effective and reliable with Thermon. Thermon's flexible manufacturing process can include auxiliary conductors, non-heated tubes, factory installed temperature sensors, a variety of heat tracing options, special markings and identification as required.

Tube Materials and Finishes

- 316 and 304 stainless, welded or seamless, Monel, titanium, and Alloy 825 are available.
- Optional Electropolished (EP) finishes and chemical passivation (CP), (including SilcoNert1000, SilcoNert2000, and Dursan)¹ are also available.
- Double containment tubing and/or multiple tube materials can be provided in a common bundle.
- Fluoropolymer tubing (including PFA, TFE, and FEP), nylon, polyethylene, composite filament-wound tubing and most any other tubing material is also available.

Electrically Heated TubeTrace®

- Thermon electrical heat tracing is approved for hazardous (classified) locations, including options for Class I, Division 1 (NEC/CEC) and Zone 1 (IEC).
- SX self-regulating and HPT™ power-limiting heat tracing can be "cut-to-length" in the field maintaining temperatures up to 350°F (177°C).

Embedded Temperature Sensors

To accurately sense temperatures in one or more locations, factory installed temperature sensors (RTD, Thermocouple, or Thermistor) with insulated leads rated 500°F (260°C) are available.

Control and Monitoring

To accurately control temperatures for sensitive analytical applications, consider Thermon's TC control and monitoring systems. Utilizing 3-wire RTD temperature sensors, Thermon TC controllers are available with single-point or multi-circuit configurations, that provide monitoring for temperature and electrical current, including ground leakage protection as required by code. For a local, single point controller and power junction box, consider Thermon's ECM electronic control module.

Non-Insulated and Non-Heated Tubing Bundles

When process samples are not temperature sensitive, consider Thermon NI type non-insulated and SL type ThermoTube non-heated lines.

Note:

1. SilcoNert1000, SilcoNert2000 and Dursan are trade names of SilcoTek.

THERMON The Heat Tracing Specialists®

ISO 9001
REGISTERED

Corporate Headquarters: 100 Thermon Dr • PO Box 609 San Marcos, • TX 78667-0609 • Phone: 512-396-5801 • 1-800-820-4328
For the Thermon office nearest you visit us at . . . www.thermon.com

Form CLX0054-0714 • © Thermon Manufacturing Co. • Printed in U.S.A. • Information subject to change.

